

LimbaLed

limbaled.com

LimbaLed

Our company start lighting journey in 2014 year at Bostancı/Istanbul/TURKEY with our employees hard work and with the support of our suppliersand costumer satisfaction, we have become one of the leading companies in the sector by developing overtime.

We owe this point to our loyalty to our business and to our openness to innovations in the sector. By constantly adhering to the principles of quality and fast service which constitute the important legs of the lighting sector, we have increased the bar in the decorative and special production sector.

PARTNERS LIGHTING is always aiming to get better, to respond to the wishes of our customers quickly, so that by increasing the satisfaction of your offices and camel living areas with a decorative and long-lasting lighting to appeal to the eye sector we aim to obtain a good place.

With this occasion, our customers who prefer us and always with us, our suppliers and company managers and all our employees;

WE THANK YOU.



DECORATIVE FIXTURES

- Decorative **Suspended** Fixtures | 12
- Decorative **Surface Mounted** Fixtures | 74
- Decorative **Recessed** Fixtures | 116

1

LINEER FIXTURES

- Suspended** Linear Fixtures | 120
- Surface Mounted** Linear Fixtures | 130
- Recessed** Linear Fixtures | 134

2

DECORATIVE SCONCE FIXTURES

138

3

SPOT LIGHTING FIXTURES

- Rail Spot** Fixtures | 169
- Recessed Spot** Fixtures | 174
- Surface Mounted Spot** Fixtures | 184
- Suspended Spots** Fixtures | 186

4









































INDUSTRIAL FIXTURES

- Recessed** Industrial Fixtures | 190
- Surface Mounted** Industrial Fixtures | 192

5

▪ PRODUCT INDEX




DECORATIVE
SUSPENDED
FIXTURES

				
12	14	18	20	22
				
24	26	28	30	32
				
34	36	38	40	42
				
44	46	48	50	52
				
54	56	58	60	62
				
64	66	68	70	72
				
74	76	78	80	82
				
84	88	90	92	94

DECORATIVE
SURFACE MOUNTED
FIXTURES

▪ **PRODUCT INDEX**



**DECORATIVE
SURFACE MOUNTED
FIXTURES**



**DECORATIVE
RECESSED
FIXTURES**



**SUSPENDED
LINEER
FIXTURES**




**SURFACE
MOUNTED LINEER
FIXTURES**



**RECESSED
LINEER
FIXTURES**






**DECORATIVE
SCONCE
FIXTURES**






▪ **PRODUCT INDEX**



**DECORATIVE
SCONCE
FIXTURES**



**RAIL SPOT
FIXTURES**



**RECESSED
SPOT
FIXTURES**



**SURFACE
MOUNTED SPOT
FIXTURES**




▪ **PRODUCT INDEX**



**SUSPENDED
SPOT
FIXTURES**



**RECESSED
LED
FIXTURES**



**SURFACE
MOUNTED LED
FIXTURES**



**CANOPY
FIXTURES**



**LED
PROJECTOR
&
FIXTURES**



RGB



**LED ETANJ
FIXTURES**








LimbaLed

DECORATIVE FIXTURES

Decorative
Suspended Fixtures
12

Decorative
Surface Mounted Fixtures
74

Decorative
Recessed Fixtures
116



DECORATIVE SUSPENDED FIXTURES

EGEGANT SERIES




PRODUCT CODE ▪ 001


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting kit
- ON/OFF controlled
- Can be Dimm with control





DECORATIVE SCONCE FIXTURES

LimbaLed

ELEGANT SERIES


PRODUCT CODE ▪ 106

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35 mm
- Adjustable lift suspension set

OPTIONS


- 1-3 hours urgent lighting kit
- ON/OFF controlled
- Can be Dimm with control



15

▪ Products are manufactured in different color bodies according to the RAL code you will provide.









DECORATIVE SUSPENDED FIXTURES

LimbaLed

PRODUCT FEATURES



ÜRÜN KODU ▪ 003


ÜRÜN ÖZELLİKLERİ

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting kit
- ON/OFF control
- Dimmer with remote control





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ELEGANT SERIES


PRODUCT CODE ▪ 004

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ELEGANT SERIES



PRODUCT CODE ▪ 005

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ELEGANT SERIES




PRODUCT CODE ▪ 006

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ELEGANT SERIES


PRODUCT CODE ▪ 007

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ELEGANT SERIES


PRODUCT CODE ▪ 008

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controlled
- Dimmable with remote control



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

ELEGANT SERIES


PRODUCT CODE ▪ 009

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controlled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

ELEGANT SERIES



PRODUCT CODE ▪ 010

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ELEGANT SERIES


PRODUCT CODE ▪ 011

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

ELEGANT SERIES


PRODUCT CODE ▪ 012

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8X35 mm
- Adjustable lift suspension set

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

IMERA SERIES



PRODUCT CODE ▪ 001


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended profile size 20x50 mm
-

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

LimbaLed

IMERA SERIES


PRODUCT CODE ▪ 002


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended profile size 20x50 mm

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

IMERA SERIES



PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended profile size 20x50 mm

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

TROVA SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 16x70 mm

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

LimbaLed

TROVA SERIES


PRODUCT CODE ▪ 002


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 16x70 mm

OPTIONS

- 1-3 hours urgent lighting
- ON/OFF controled
- Dimmable with remote control





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ROUTE SERIES




PRODUCT CODE - 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
 - High transmission opal diffuser
 - High efficiency driver
 - SMD Led technology
 - 3000-4000-6500 K light color options
 - Dimensions and production in different combinations
 - Production in desired Ral codes
 - Pendant and surface mounted
- Profile sizes: H 45,70,80,100,120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ROUTE SERIES


PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
 - High transmission opal diffuser
 - High efficiency driver
 - SMD Led technology
 - 3000-4000-6500 K light color options
 - Dimensions and production in different combinations
 - Production in desired Ral codes
 - Pendant and surface mounted
- Profile sizes: H 45,70,80,100,120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ROUTE SERIES


PRODUCT CODE ■ 003

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and surface mounted
- Profile sizes: H 45,70,80,100,120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ROUTE SERIES


PRODUCT CODE ▪ 004

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and surface mounted
- Profile sizes: H 45,70,80,100,120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

TAMBOUR SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Adjustable lift suspension set

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted
- Recessed





DECORATIVE SUSPENDED FIXTURES

LimbaLed

TAMBOUR SERIES



PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted
- Profile size H45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted





DECORATIVE SUSPENDED FIXTURES

LimbaLed

TRIANRO SERIES



PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H80,100,120 mm


OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted
- Recessed



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

KARLINE SERIES

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H45,70,80,100,120 mm
- Recessed profile size H80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted
- Recessed



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ESSE SERIES


PRODUCT CODE ■ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 16X70 mm
- Adjustable lift suspension set

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ESSE SERIES


PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size: H 45,70,80,100,120 mm


OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

HALLEY SERIES



PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size: H 45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

ROLINE SERIES

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted
- Profile size: H 45,70,80,100,120 mm


OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SUSPENDED FIXTURES

LimbaLed

KARROUE SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted
- Profile size: H 45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

TAMBOUR SERIES

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H 45, 70,80,100,120 mm
- Recessed profile size H 80, 100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted
- Recessed



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

TAMBOUR SERIES

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H45,70,80,100,120 mm
- Recessed profile size: H 80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted
- Recessed





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

ROUTE SERIES


PRODUCT CODE ▪ 003


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H45,70,80,100,120 mm
- Recessed profile size: H 80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted
- Recessed





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

ROUTE SERIES


PRODUCT CODE ▪ 005

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

TRIANRO SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

TRIANRO SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted




▪ Products are manufactured in different color bodies according to the RAL code you will provide.









DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

HEXAREM SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Recessed profile size H 80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted
- Recessed



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

CROISSA SERIES

PRODUCT CODE ▪ 001


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended, surface mounted rofile size H 45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

KAYI SERIES



PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H 45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

ESSE SERIES

PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H 45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

ESSE SERIES


PRODUCT CODE ▪ 004

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H 45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

OSSO SERIES

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Suspended and surface mounted profile size H 45,70,80,100,120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Suspended
- Surface mounted





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

KARRE SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and profile size H 45, 70,80,100,120 mm
- Profile size H 80, 100, 120mm

OPTIONS

- 10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted
- Recessed



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

KARRE SERIES


PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and profile size H 45, 70,80,100,120 mm
- Profile size H 80, 100, 120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted
- Recessed





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

KARRE SERIES



PRODUCT CODE ▪ 003


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and profile size H 45, 70,80,100,120 mm
- Profile size H 80, 100, 120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted
- Recessed





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

RECTAN SERIES

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and profile size H 45, 70,80,100,120 mm
- Profile size H 80, 100, 120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted




107

▪ Products are manufactured in different color bodies according to the RAL code you will provide.









DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

CONCAV SERIES

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and profile size H 45, 70,80,100,120 mm
- Profile size H 80, 100, 120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

GRIZZ SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and profile size H 45, 70,80,100,120 mm
- Profile size H 80, 100, 120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SURFACE MOUNTED FIXTURES

LimbaLed

NUAGE SERIES

PRODUCT CODE ▪ 001


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and profile size H 45, 70,80,100,120 mm
- Profile size H 80, 100, 120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted





DECORATIVE SURFACE MOUNTED FIXTURES

KARRESA SERIES

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and profile size H 45, 70,80,100,120 mm
- Profile size H 80, 100, 120mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted





LINEER FIXTURES

Suspended
Lineer Fixtures
120

—
Surface Mounted
Lineer Fixtures
130

—
Recessed
Lineer Fixtures
134





SUSPENDED LINEER FIXTURES

LimbaLed

DROIT SERIES



PRODUCT CODE ▪ 001


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size H 75,85 W 30,50,53,66,87 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted





SUSPENDED LINEER FIXTURES

LimbaLed

DROIT SERIES

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size H 75,85 W 30,50,53,66,87 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted



123

▪ Products are manufactured in different color bodies according to the RAL code you will provide.





SUSPENDED LINEER FIXTURES

MULTIP SERIES



PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size H 85 W 53, 66,88 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted





SUSPENDED LINEER FIXTURES

LimbaLed

KARROUE SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size H 75, 85 W 30, 50, 53, 66, 88 mm

OPTIONS


- 1-10V dali-dim
- Corridor function
- Pendant
- Surface mounted



127

▪ Products are manufactured in different color bodies according to the RAL code you will provide.





SUSPENDED LINEER FIXTURES

LimbaLed

DROIT SERIES



PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size H 85, W 53, 66, 88 mm


OPTIONS

- 1-10V dali-dim
- Corridor function
- Pendant
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





SUSPENDED LINEER FIXTURES

LimbaLed

HEXA SERIES



PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Pendant and profile size H 45, 70, 80, 100, 120 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted





SURFACE MOUNTED LINEER FIXTURES

LimbaLed

KARRAOUE SERIES

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size H 75,85 W 30,50,53,66,88 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting
- Pendant
- Surface mounted



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





RECESSED LINEER FIXTURES

LimbaLed

DROITSA SERIES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size H 85 W 53,66,90
- W (cut size) 55,70,90
- W (weight) 70,82,5,104

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting kit
- Recessed





DECORATIVE
SCONCE
FIXTURES

138

3



DECORATIVE SCONCE FIXTURES

LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 101

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35 mm





DECORATIVE SCONCE FIXTURES


LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 102

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35 mm





DECORATIVE SCONCE FIXTURES

ELEGANT SERIES

PRODUCT CODE ▪ 103

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35 mm





DECORATIVE SCONCE FIXTURES


LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 104

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35 mm



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SCONCE FIXTURES

LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 105

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35 mm



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SCONCE FIXTURES


LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 106

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35 mm





DECORATIVE SCONCE FIXTURES

LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 107

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35mm



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SCONCE FIXTURES


LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 108

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35mm



153

▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SCONCE FIXTURES


LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 109

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35mm





DECORATIVE SCONCE FIXTURES

LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 110

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35mm



▪ Products are manufactured in different color bodies according to the RAL code you will provide.







DECORATIVE SCONCE FIXTURES

ELEGANT SERIES


PRODUCT CODE ▪ 111

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35mm



▪ Products are manufactured in different color bodies according to the RAL code you will provide.



DECORATIVE SCONCE FIXTURES

LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 112


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35mm



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SCONCE FIXTURES


LimbaLed

ELEGANT SERIES

PRODUCT CODE • 113


PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35mm



▪ Products are manufactured in different color bodies according to the RAL code you will provide.





DECORATIVE SCONCE FIXTURES


LimbaLed

ELEGANT SERIES

PRODUCT CODE ▪ 114

PRODUCT FEATURES

- Electrostatic powder coated aluminum extrusion body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 3000-4000-6500 K light color options
- Dimensions and production in different combinations
- Production in desired Ral codes
- Profile size 8x35mm



165

▪ Products are manufactured in different color bodies according to the RAL code you will provide.



SPOT LIGHTING FIXTURES

Rail Spot
Fixtures
169

Recessed
Spot Fixtures
174

Surface Mounted
Spot Fixtures
184

Suspended
Spot Fixtures
186







RAIL SPOT FIXTURES

LimbaLed

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- Q115 H140
- Monofaze-Trifaze



PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- 21-30-40 W power options
- Monofaze-Trifaze



RAIL SPOT FIXTURES

Limba**Lamba**

PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- 20-30-40 W power options
- Monofaze-Trifaze



PRODUCT CODE ▪ 004

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- 20-30-40 W power options
- Q110 H125
- Monofaze-Trifaze



RAIL SPOT FIXTURES

LimbaLed

PRODUCT CODE ▪ 005

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- 20-30 W power options
- Monofaze-Trifaze



PRODUCT CODE ▪ 006

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- 21-30 W power options
- Monofaze-Trifaze



RAIL SPOT FIXTURES

LimbaLed

PRODUCT CODE ▪ 007

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- 10-12 W power options
- Monofaze-Trifaze



PRODUCT CODE ▪ 008

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- 20-30 W power options
- Q125 H200
- Monofaze-Trifaze



RAIL SPOT FIXTURES

LimbaLed

PRODUCT CODE ▪ 009

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- 20-30 W power options
- Q125 H200
- Monofaze-Trifaze



PRODUCT CODE ▪ 010

PRODUCT FEATURES

- Aluminum profile body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- Applicable with socket and rosans
- 3000-4000-6000 K light options
- 21-30W power options
- Monofaze-Trifaze



RECESSED SPOT FIXTURES

NEPTUN

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum injection
- Electrostatic powder coating
- Smart cooling system
- 3000-4000-6500 K light options
- COB Led

	OUTDOOR	
POWER	FRAME DIAMETER	HOLE DIAMETER
10W	80	75
12W	100	95



MIMOZA

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- 3000-4000-6500 K light options
- COB Led

	OUTDOOR	
POWER	FRAME DIAMETER	HOLE DIAMETER
10W	10x10 mm	85x85 mm
12W	12x12 mm	105x105 mm



RECESSED SPOT FIXTURES

MIMOZA

PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- 3000-4000-6500 K light options
- 120x330x60 mm
- Cut: 110x310 mm
- 3x10 W
- COB Led




STAR

PRODUCT CODE ▪ 001/002

PRODUCT FEATURES

- DKP Sheet metal frame
- 3000-4000-6500 K light options
- Electrostatic powder coating
- 5-10 W Diameter 120 mm
- COB Led



FRAME

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- DKP Sheet metal frame
- 3000-4000-6500 K light options
- Electrostatic powder coating
- 5-8W
- SMD Led







RECESSED SPOT FIXTURES

SINUS

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- 3000-4000-6000 K light options
- COB Led

OUTDOOR				
POWER	INC	WATT	FRAME DIAMETER	HOLE DIAMETER
8W	2	8W	97 mm	80 mm
10W	3	10W	117 mm	100 mm
12W	4	12W	147 mm	125 mm
15W	5	15W	175 mm	155 mm
18W	6	18W	190 mm	175 mm
23W	8	23W	227 mm	210 mm



SINUS

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- 3000-4000-6000 K light options
- COB Led

OUTDOOR				
POWER	INC	WATT	FRAME DIAMETER	HOLE DIAMETER
8W	2	8W	97 mm	80 mm
10W	3	10W	117 mm	100 mm
12W	4	12W	147 mm	125 mm
15W	5	15W	175 mm	155 mm
18W	6	18W	190 mm	175 mm
23W	8	23W	227 mm	210 mm



RECESSED SPOT FIXTURES

SINUS D

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High transmission opal diffuser
- 3000-4000-6000 K light options
- COB Led

INC	POWER	OUTDOOR FRAME DIAMETER	HOLE DIAMETER
2	2X8W	97X194	80
3	2X10W	97X234	100
4	2X12W	97X294	125
5	2X15W	97X350	155
6	2X18	97X380	175
8	2X23	97X454	210




SINUS D

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- 3000-4000-6500 K light options
- COB Led

INC	POWER	OUTDOOR FRAME DIAMETER	HOLE DIAMETER
2	2X8W	97X194	80
3	2X10W	97X234	100
4	2X12W	97X294	125
5	2X15W	97X350	155
6	2X18	97X380	175
8	2X23	97X454	210



RECESSED SPOT FIXTURES

LOGON

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- 3000-4000-6500 K light options
- 195x195 mm
- 20-30 W
- COB Led



LOGON

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- 3000-4000-6500 K light options
- 195x195 mm
- 2x20 - 30-40 W
- COB Led



RECESSED SPOT FIXTURES

LOGON

PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Aluminum refrigerated DKP sheet metal body
- Electrostatic powder coating
- Smart cooling system
- 3000-4000-6500 K light options
- 186x504x110 mm
- 3x20-30-40 W
- COB Led



COSINUS

PRODUCT CODE ▪ 001

ÜRÜN ÖZELLİKLERİ

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High transmission opal diffuser
- 3000-4000-6000 K light options
- SMD Led

POWER	INC	WATT	OUTDOOR	
			FRAME DIAMETER	HOLE DIAMETER
8W	2	8W	97 mm	80 mm
10W	3	10W	117 mm	100 mm
12W	4	12W	147 mm	125 mm
15W	5	15W	175 mm	155 mm
18W	6	18W	190 mm	175 mm
23W	8	23W	227 mm	210 mm



RECESSED SPOT FIXTURES

COSINUS

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High transmission opal diffuser
- 3000-4000-6000 K light options
- SMD Led

POWER	INC	WATT	OUTDOOR	
			FRAME DIAMETER	HOLE DIAMETER
8W	2	8W	97 mm	80 mm
10W	3	10W	117 mm	100 mm
12W	4	12W	147 mm	125 mm
15W	5	15W	175 mm	155 mm
18W	6	18W	190 mm	175 mm
23W	8	23W	227 mm	210 mm



COSINUS

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High transmission opal diffuser
- 3000-4000-6000 K light options
- SMD Led

POWER	INC	WATT	OUTDOOR	
			FRAME DIAMETER	HOLE DIAMETER
8W	2	8W	97 mm	80 mm
10W	3	10W	117 mm	100 mm
12W	4	12W	147 mm	125 mm
15W	5	15W	175 mm	155 mm
18W	6	18W	190 mm	175 mm
23W	8	23W	227 mm	210 mm



RECESSED SPOT FIXTURES

COSINUS

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High transmission opal diffuser
- 3000-4000-6000 K light options
- SMD Led

POWER	INC	WATT	OUTDOOR FRAME DIAMETER	HOLE DIAMETER
8W	2	8W	97 mm	80 mm
10W	3	10W	117 mm	100 mm
12W	4	12W	147 mm	125 mm
15W	5	15W	175 mm	155 mm
18W	6	18W	190 mm	175 mm
23W	8	23W	227 mm	210 mm



COSINUS

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High transmission opal diffuser
- 3000-4000-6000 K light options
- SMD Led

INC	POWER	OUTDOOR FRAME DIAMETER	HOLE DIAMETER
2	2X8W	97X194	80 mm
3	2X10W	97X234	100 mm
4	2X12W	97X294	125 mm
5	2X15W	97X350	155 mm
6	2X18	97X380	175 mm
8	2X23	97X454	210 mm



RECESSED SPOT FIXTURES

DEKO

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- 3000-4000-6500K light options

SIZES 195X195 mm

POWER 20-30W



DEKO

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- 3000-4000-6500K light options

SIZES 195X350mm

POWER 20-30W



RECESSED SPOT FIXTURES

DEKO

PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- 3000-4000-6500K light options

SIZES 80X80 100X100 mm
POWER 10W



DEKO

PRODUCT CODE ▪ 004

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- 3000-4000-6500K light options

SIZES 100X200 mm
POWER 2-10W





SUSPENDED SPOTS ARMATÜRLER

ROBA

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- 3000-4000-6500 K light options
- Q80 POWER 20W



ROBA

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- 3000-4000-6500 K light options
- Q125 POWER 20-30W



ROBA

PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Aluminum body
- Electrostatic powder coating
- Smart cooling system
- High purity aluminum reflector
- 3000-4000-6500 K light options
- Q125 POWER 20-30W







INDUSTRIAL FIXTURES

Recessed
Industrial Fixtures
190

—
Surface Mounted
Industrial Fixtures
192

5

RECESSED LED FIXTURES

BACKLIGHT RECESSED FIXTURES

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated DKP sheet body
- High purity aluminum reflector
- High efficiency driver
- SMD Led technology
- 4000-6500 K light color options

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting kit



RECESSED LED FIXTURES

BACKLIGHT RECESSED PATTERNED FIXTURES

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated DKP sheet body
- High purity aluminum reflector
- High efficiency driver
- SMD Led technology
- 4000-6500 K light color options

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting kit



RECESSED INDIRECT LED FIXTURES


PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Electrostatic powder coated DKP sheet body
- High purity aluminum reflector
- High efficiency driver
- SMD Led technology
- 4000-6500 K light color options

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting kit



SURFACE MOUNTED LED FIXTURES

SURFACE MOUNTED LED PANEL FIXTURES


PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated DKP sheet body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 4000-6500 K light color options
- H:70 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting kit



BACKLIGHT SURFACE MOUNTED LED FIXTURES

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated DKP sheet body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 4000-6500 K light color options
- H:100 mm

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting kit



SURFACE MOUNTED LED FIXTURES

SURFACE MOUNTED PATTERNED LED FIXTURES


PRODUCT CODE ▪ 003

PRODUCT FEATURES

- Electrostatic powder coated DKP sheet body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 4000-6500 K light color options

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting kit



SIVA ÜSTÜ ENDİREKT LED FIXTURES


PRODUCT CODE ▪ 004

PRODUCT FEATURES

- Electrostatic powder coated DKP sheet body
- High transmission opal diffuser
- High efficiency driver
- SMD Led technology
- 4000-6500 K light color options

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting kit



CANOPY LED FIXTURES

RECESSED CANOPY FIXTURES

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated DKP sheet
- Heat and impact resistant tempered glass
- High efficiency driver
- Mid Power Led
- 4000-6500 K light color options




SURFACE MOUNTED CANOPY FIXTURES

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Electrostatic powder coated DKP sheet
- Heat and impact resistant tempered glass
- High efficiency driver
- Mid Power Led
- 4000-6500 K light color options



LED PROJECTOR AND FIXTURES

LED PROJECTOR

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum extrusion
- Heat and impact resistant tempered glass
- High efficiency driver
- Mid Power Led
- 2200-6500 K light color options
- 160W, 220W,330W options



LED HIGH CEILING WORKSHOP FIXTURE

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum casting body
- Heat and impact resistant tempered glass
- High efficiency driver
- Mid Power Led
- 4000-6500 K light color options
- 110W, 150W options



LED STREET FIXTURE

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum casting body
- Heat and impact resistant tempered glass
- High efficiency driver
- Mid Power Led
- 2200-6500 K light color options
- 90W,110W,120W options




RGB

WALLWASHER

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Aluminum extrusion body
- Heat and impact resistant tempered glass
- High efficiency driver
- Mid Power Led
- White, Blue, Green,Red, Amber, Day light, (W,W) RGB (RGB)
- 3,6,9,12,18,24,36,45,72 W options



WALL WASHER GARDEN

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- Aluminum extrusion body
- Heat and impact resistant tempered glass
- High efficiency driver
- Mid Power Led
- White, Blue, Green,Red, Amber, Day light, (W,W) RGB (RGB)
- 18 W, 36W options



LED ETANJ

ALUMINUM LED ETANJ

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Polycarbon body
- High transmission opal diffuser polycarbon
- High efficiency driver
- Mid Power Led
- 4000-6500 K light color options

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting



PC LED ETANJ

PRODUCT CODE ▪ 002

PRODUCT FEATURES

- PC body
- High transmission opal diffuser polycarbon
- High efficiency driver
- Mid Power Led
- 6500 K light color options

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting



LED HIGH CEILING

PRODUCT CODE ▪ 001

PRODUCT FEATURES

- Electrostatic powder coated 0,80 mm DKP sheet
- Heat and impact resistant tempered glass
- High efficiency driver
- Mid Power Led
- 4000-6500 K light color options

OPTIONS

- 1-10V dali-dim
- Corridor function
- 1-3 hours urgent lighting







LimbaLed

www.limbaled.com

Address: Yalı Yolu Street İsmail Ergin Work Center Block No:52/A Floor: 3 No:12
Bostancı/Kadıkoy/Istanbul-TURKEY
P : +90 216 415 63 46 - 380 68 16